

# Cryogenics

## Index to Volume 42 (2002)

No. 1 (January) pp 1–72

No. 2 (February) pp 73–148

Nos. 3–4 (March–April) pp 149–264

No. 5 (May) pp 265–334

Nos. 6–7 (June–July) pp 335–440

No. 8 (August) pp 441–516

No. 9 (September) pp 517–588

No. 10 (October) pp 589–660

No. 11 (November) pp 661–734

No. 12 (December) pp 735–806

## Article Index (titles in *italics* refer to Research and technical notes)

### Number 1/January

Quench current improvement through shape modification of racetrack coil

*S.-K. Baik, M.-H. Sohn, R.-K. Ko, Y.-K. Kwon, K.-S. Ryu and Y.-S. Jo* 1

Numerical analysis for steady-state two-dimensional heat transfer from a flat plate at one side of a duct containing pressurized He II

*H. Tatsumoto, K. Fukuda and M. Shiotsu* 9

Numerical analysis for two-dimensional transient heat transfer from a flat plate at one-side of a duct containing pressurized He II

*H. Tatsumoto, K. Fukuda and M. Shiotsu* 19

Peculiarities of transport current penetration in a composite superconductor taking into account different models of flux creep

*V.R. Romanovskii* 29

Small helium bath cryopump for electron optical devices

*P. Hanzelka, J. Dupák and V. Musilová* 39

Temperature fluctuations in a solid-nitrogen cooled secondary frequency standard

*J.G. Hartnett, M.E. Tobar, E.N. Ivanov and P. Bilski* 45

Design of thermoacoustic refrigerators

*M.E.H. Tijani, J.C.H. Zeegers and A.T.A.M. de Waele* 49

Construction and performance of a thermoacoustic refrigerator

*M.E.H. Tijani, J.C.H. Zeegers and A.T.A.M. de Waele* 59

Thermal shunt for quick cool-down of two-stage closed-cycle refrigerator

*K. Uhlig* 67

### Number 2/February

<sup>3</sup>He/<sup>4</sup>He dilution refrigerator with pulse-tube refrigerator precooling

*K. Uhlig* 73

Ramp-rate limitation experiment using induced current method. Part 1: experimental results

*S. Jeong and M. Takayasu* 79

Dc power system for mutual coupled large scale superconducting coils

*H. Chikaraishi, S. Yamada, S. Kitagawa, T. Satow, O. Motojima, S. Tanahashi, T. Satoh, H. Niwa and T. Haga* 89

Vibration-free 5 K sorption cooler for ESA's Darwin mission

*J.F. Burger, H.J.M. ter Brake, H. Rogalla and M. Linder* 97

Reversible and irreversible effects of strain on the critical current density of a niobium–tin superconducting wire

*D.M.J. Taylor, S.A. Keys and D.P. Hampshire* 109

Closed cycle cooling of infrared detectors to 250 mK

*R.S. Bhatia, S.T. Chase, W.C. Jones, B.G. Keating, A.E. Lange, P.V. Mason, B.J. Philhour and G. Sirbi* 113

Maximum attainable performance of pulse tube refrigerators

*P.C.T. de Boer* 123

Measurement of helium temperatures by TVO-sensors under magnetic fields

*Yu.P. Filippov and V.G. Shabratov* 127

Discussion on refrigeration cycle for regenerative cryocoolers

*G. Chen, Z. Gan and Y. Jiang* 133

Optimization and thermodynamic understanding of conduction-cooled Peltier current leads

*X.C. Xuan, K.C. Ng, C. Yap and H.T. Chua* 141

Liquid helium cryostat for target cooling

*B.V. Elkonin* 147

### Numbers 3–4/March–April

Special issue on superconducting generator in Japan

*S. Akita* 149

Progress of technology for superconducting generator

*T. Nitta* 151

Summary of development of 70 MW class model superconducting gen-

- erator—research and development of superconducting for electric power application  
*I. Oishi and K. Nishijima* 157
- Development of superconducting generator having highly stabilized superconducting field winding—70 MW class superconducting generator  
*Y. Yasaka, K. Yamaguchi, R. Shiobara, M. Takahashi and I. Oishi* 169
- Research and development of slow response type 70 MW class superconducting generator with high-current density superconductors  
*S. Maeda, K. Shimohata, I. Kadera and A. Izumi* 175
- Development of 70 MW class superconducting generator with quick-response excitation  
*K. Miyaike, T. Kitajima and T. Ito* 183
- Field test of 70 MW class superconducting generator  
*K. Hasegawa and Y. Imai* 191
- Development of a highly reliable helium refrigeration system—R&D of a highly reliable helium refrigeration system (conventional type)  
*M. Ikeuchi, H. Yanagi and A. Machida* 199
- Development of a highly reliable helium refrigeration system—R&D of a highly reliable helium refrigeration system (oil-free type)  
*H. Asakura, N. Saji, S. Yoshinaga, T. Ishizawa, M. Ikeuchi, H. Yanagi, Y. Hirao and K. Kitagawa* 203
- Performance of the inertance pulse tube  
*P.C.T. de Boer* 209
- Influence of buffer on resonance frequency of thermoacoustic engine  
*G.B. Chen, J.P. Jiang, J.L. Shi, T. Jin, K. Tang, Y.L. Jiang, N. Jiang and Y.H. Huang* 223
- A "permanent" high-temperature superconducting magnet operated in thermal communication with a mass of solid nitrogen  
*B.J. Haid, H. Lee, Y. Iwasa, S.-S. Oh, Y.-K. Kwon and K.-S. Ryu* 229
- Acoustic quality factor of aluminium and selected aluminium alloys from 50 mK to 300 K  
*W. Duffy Jr.* 245
- Using magnetic levitation to produce cryogenic targets for inertial fusion energy: experiment and theory  
*D. Chatain and V.S. Nikolayev* 253
- Number 5/May**
- Low-temperature tensile strength of the ITER-TF model coil insulation system after reactor irradiation  
*K. Bittner-Rohrhofer, K. Humer and H.W. Weber* 265
- The maximum temperature difference and polar characteristic of two-stage thermoelectric coolers  
*X.C. Xuan, K.C. Ng, C. Yap and H.T. Chua* 273
- The study on the critical temperature, composition, and microstresses in a Nb<sub>3</sub>Sn layer  
*N. Kozlenkova, A. Shikov, V. Patsyrnyi and A. Vorobieva* 279
- On cycle-averaged pressure in a G-M type pulse tube refrigerator  
*G.Q. Lu and P. Cheng* 287
- Cryogen-free HTS coil placed in a heat-exchange gas  
*O.P. Anashkin, V.E. Keilin, I.A. Kovalev, A.V. Krivtikh, I.I. Akimov and A.K. Shikov* 295
- The unified strain and temperature scaling law for the pinning force density of bronze-route Nb<sub>3</sub>Sn wires in high magnetic fields  
*N. Cheggour and D.P. Hampshire* 299
- Analysis of the effect of Nb<sub>3</sub>Sn strand bending on CICC superconductor performance  
*N. Mitchell* 311
- Valve timing effect on the cooling performance of a 4 K pulse tube cooler  
*L.M. Qiu and G. Thummes* 327
- Numbers 6–7/June–July**
- Japan–Korea Joint Workshop 2001 on Applied Superconductivity and Cryogenics  
*K. Noto and S.-H. Kim* 335
- Overview of R&D activities on applications of superconductivity to power apparatuses in Japan  
*O. Tsukamoto and S. Akita* 337
- Research and development of superconducting cable in Super-ACE project  
*T. Nakatsuka, A. Kikuchi, Y. Ozawa and K. Ueda* 345
- Current status of SMES in Korea  
*K.C. Seong, H.J. Kim, S.W. Kim, J.W. Cho, Y.K. Kwon, K.S. Ryu, I.K. Yu and S.Y. Hahn* 351
- Designs and analyses of flywheel energy storage systems using high-*T<sub>c</sub>* superconductor bearings  
*T.H. Sung, S.C. Han, Y.H. Han, J.S. Lee, N.H. Jeong, S.D. Hwang and S.K. Choi* 357
- Stability of fault current limiter with conduction cooled Bi2223 screen  
*K. Sasaki, C. Nishizawa and T. Onishi* 363
- Study of the mechanical heat generation inside the inner vessel installed with a superconducting coil  
*H. Seino, M. Kurihara, T. Herai and E. Suzuki* 371
- Development of Bi-2223 HTS tape and its application to coil and current leads  
*S.S. Oh, H.S. Ha, D.W. Ha, H.M. Jang, C. Park, K.J. Song, Y.K. Kwon and K.S. Ryu* 377
- Fabrication of low cost YBCO coated conductors using Ag-clad Hastelloy substrates  
*Y. Ma, K. Watanabe, S. Awaji and M. Motokawa* 383
- Reduction of radial magnetic fields in HTS solenoids with different constraint conditions  
*J.-H. Lee, J. Kang, D.-S. Kim, W. Nah, I.-H. Park and J. Joo* 387
- All Japan efforts on fundamental materials technology developments for HTS applications Focusing on R&D of coated conductors  
*Y. Tokunaga, T. Izumi and Y. Shiohara* 393
- Study of thermal and cooling load for KSTAR thermal shield design  
*D.-L. Kim, S. Cho, S.-H. Kim, M. Kwon, G.-S. Lee, K.-S. Kim and Y.-M. Noh* 399

- Counter flow cooling characteristics with liquid nitrogen for superconducting power cables  
*M. Furuse, S. Fuchino and N. Higuchi* 405
- Influence of bubble size and flow velocity on AC electrical breakdown characteristics of  $\text{LN}_2$   
*S.-H. Kim, J.-M. Jeong, Y.-S. Kim, C.-O. Kim and S.-M. Baek* 411
- Surface flashover characteristics in liquid nitrogen for application of superconducting pancake coils  
*S.-H. Kim, S.-M. Baek, Y.-S. Kim, S.-Y. Chung and J.-M. Jeong* 415
- The effect of operating parameters in the Stirling cryocooler  
*S.J. Park, Y.J. Hong, H.B. Kim, D.Y. Koh, J.H. Kim, B.K. Yu and K.B. Lee* 419
- A study on the linear compressor characteristics of the Stirling cryocooler  
*D.-Y. Koh, Y.-J. Hong, S.-J. Park, H.-B. Kim and K.-S. Lee* 427
- Experimental results on V-M type pulse tube refrigerator  
*W. Dai, Y. Matsubara and H. Kobayashi* 433
- Number 8/August**
- Editorial 441
- Studies on a sealed-cell lambda-point device for use in low temperature thermometry  
*P. Lin, Y. Mao, L. Yu, Q. Zhang and C. Hong* 443
- Thermoelastic analysis of cracked woven GFRP laminates at cryogenic temperatures  
*T. Takeda, Y. Shindo, F. Narita and S. Kumagai* 451
- Comparative evaluation of erbium and lead regenerator materials for low temperature cryocoolers  
*T.W. Wysokinski, J.A. Barclay, K.A. Gschneidner Jr., V.K. Pecharsky and A.O. Pecharsky* 463
- Effect of self-field and current non-uniformity on the voltage-temperature characteristic of the ITER central solenoid insert coil by numerical calculations  
*A. Nijhuis, H.G. Knoopers, Yu. Ilyin, A. Godeke, B. ten Haken and H.H.J. ten Kate* 469
- Two-dimensional model for tapered pulse tubes Part 3: unsteady components of second-order mass flux and temperature  
*H.C. Park, E.S. Jeong and S. Jeong* 485
- Reduction of heat leak in cryogenic system using Peltier current leads  
*Y. Hasegawa, K. Sato, H. Okumura, K. Nakamura, S. Yamaguchi and K. Miyake* 495
- Modified Roebuck compression device for cryogenic refrigeration system of superconducting rotating machine  
*S. Jeong and J.-H. Jung* 501
- Thermoacoustic oscillation in channels of the pressurized He II  
*H. Kobayashi, Y. Suganuma, H. Yoshida, Y. Matsubara and A. Tominaga* 509
- Number 9/September**
- Development of low-noise high value chromium silicide resistors for cryogenic detector applications  
*M. Jhabvala, R.S. Babu, C. Monroy, M.M. Freund and C.D. Dowell* 517
- Experimental investigation of transient nonlinear phenomena in an annular thermoacoustic prime-mover: observation of a double-threshold effect  
*G. Penelet, E. Gaviot, V. Gusev, P. Lotton and M. Bruneau* 527
- On the numerical design of a new type of 4 K GM/PT hybrid refrigerators  
*Y.L. Ju and L. Wang* 533
- Instabilities above critical current region in Bi-2223/Ag superconducting coils cooled by liquid nitrogen  
*F. Chovanec and P. Usak* 543
- Large size optical windows for superfluid helium applications  
*D. Celik and S.W. Van Sciver* 547
- Low-temperature thermal properties of polypropylene  
*M. Barucci, E. Gottardi, E. Olivieri, E. Pasca, L. Risegari and G. Ventura* 551
- Ae-losses of superconducting Bi-2223 tapes with two different time constants  
*C. Schmidt and L. Krempasky* 557
- $^3\text{He}/^4\text{He}$  dilution refrigerator precooled by Gifford-McMahon cooler II. Measurements of the vibrational heat leak  
*K. Uhlig* 569
- Dynamic simulation of one-stage Oxford split-Stirling cryocooler and comparison with experiment  
*Z. Cun-quan, W. Yi-nong, J. Guo-Lin, L. Dong-yu and X. Lie* 577
- Number 10/October**
- Identification of the effect of grain size on levitation force of well-textured YBCO bulk superconductors  
*W.M. Yang, L. Zhou, Y. Feng, P.X. Zhang, C.P. Zhang, Z.M. Yu, X.D. Tang, R. Nicolsky and R. Andrade Jr.* 589
- Comparison of two models of a double inlet miniature pulse tube refrigerator: Part A thermodynamics  
*P. Nika and Y. Bailly* 593
- Comparison of two models of a double inlet miniature pulse tube refrigerator: Part B electrical analogy  
*Y. Bailly and P. Nika* 605
- Design analysis of a solid nitrogen cooled "permanent" high-temperature superconducting magnet system  
*B.J. Haid, H. Lee, Y. Iwasa, S.-S. Oh, Y.-K. Kwon and K.-S. Ryu* 617
- Effects of relaxation in levitating superconductors  
*B.M. Smolyak, G.N. Perelshtein and G.V. Ermakov* 635
- Experimental study of  $\lambda$ -phase transition induced by shock compression  
*Y. Ueta, K. Yanaka, M. Murakami, H. Nagai and H.S. Yang* 645
- Performance improvement of a two-stage GM cryocooler by use of  $\text{Er}(\text{Ni}_{0.075}\text{Co}_{0.925})_2$  magnetic regenerator material  
*L. Trevisani, T. Kuriyama, F. Negrini, T. Okamura, Y. Ohtani, M. Okamura and M. Fabbri* 653
- Number 11/November**
- Fracture strength of flawed cylindrical pressure vessels under cryogenic temperatures  
*T. Christopher, K. Sankarnarayana-samy and B. Nageswara Rao* 661

- Critical current test results of 13 T-46 kA Nb<sub>3</sub>Al cable-in-conduit conductor  
*N. Koizumi, Y. Takahashi, Y. Nuno-ya, K. Matsui, T. Ando, H. Tsuji, K. Okuno, K. Azuma, A. Fuchs, P. Bruzzone and G. Vecsey* 675
- Monolithic versus conventional packed bed second stage regenerator evaluation in a Gifford-McMahon cryocooler  
*T.W. Wysokinski, X. Xu and J.A. Barclay* 691
- Mechanical behavior of the ITER TF model coil ground insulation system after reactor irradiation  
*K. Bittner-Rohrhofer, K. Humer, H. Fillunger, R.K. Maix and H.W. Weber* 697
- Low-power cryocooler survey  
*H.J.M. ter Brake and G.F.M. Wiegerinck* 705
- An experimental and numerical study of He II two-phase flow in the TESLA test facility  
*Y. Xiang, J.G. Weisend II, M. Smith, B. Petersen, D. Sellmann, H. Lierl, S.W. Van Sciver and S. Wolff* 719
- Number 12/December**
- Development of superconducting and cryogenic technology in the Institute for Technical Physics (ITP) of the Research Center Karlsruhe  
*W. Goldacker, R. Heller, A. Hofmann, F. Hornung, K.P. Jüngst, W. Lehmann, A. Mack, H. Neumann, A. Nyilas, B. Obst, Th. Schneider, A. Ulbricht and H. Wühl* 735
- Magnetisation loss of BSCCO/Ag superconducting tape exposed to applied field with arbitrary angle  
*J.J. Rabbers, O. van der Meer, B. ten Haken and H.H.J. ten Kate* 771
- On minimizing the heat leak of current leads in cryogenic vacuum systems  
*X.C. Xuan, K.C. Ng, C. Yap and H.T. Chua* 779
- Optimization of operating temperature in cryocooled HTS magnets for compactness and efficiency  
*H.-M. Chang, Y.S. Choi and S.W. Van Sciver* 787
- On the temperature distribution in the counter flow heat exchanger with multicomponent non-azeotropic mixtures  
*M.Q. Gong, E.C. Luo, J.F. Wu and Y. Zhou* 795
- Index to Volume 42 I

## Author Index

- Akimov, I.I., 295  
 Akita, S., 149, 337  
 Anashkin, O.P., 295  
 Ando, T., 675  
 Andrade Jr., R., 589  
 Asakura, H., 203  
 Awaji, S., 383  
 Azuma, K., 675  
  
 Babu, R.S., 517  
 Baek, S.-M., 411, 415  
 Baik, S.-K., 1  
 Bailly, Y., 593, 605  
 Barclay, J.A., 463, 691  
 Barucci, M., 551  
 Bhatia, R.S., 113  
 Bilski, P., 45  
 Bittner-Rohrhofer, K., 265, 697  
 Bruneau, M., 527  
 Bruzzzone, P., 675  
 Burger, J.F., 97  
  
 Celik, D., 547  
 Chang, H.-M., 787  
 Chase, S.T., 113  
 Chatain, D., 253  
 Cheggour, N., 299  
 Chen, G., 133  
 Chen, G.B., 223  
 Cheng, P., 287  
 Chikaraishi, H., 89  
 Cho, J.W., 351  
 Cho, S., 399  
 Choi, S.K., 357  
 Choi, Y.S., 787  
 Chovanec, F., 543  
 Christopher, T., 661  
 Chua, H.T., 141, 273, 779  
 Chung, S.-Y., 415  
 Cun-quan, Z., 577  
  
 Dai, W., 433  
 de Boer, P.C.T., 123, 209  
 de Waele, A.T.A.M., 49, 59  
 Dong-yu, L., 577  
 Dowell, C.D., 517  
 Duffy Jr., W., 245  
 Dupák, J., 39  
  
 Elkonin, B.V., 147  
 Ermakov, G.V., 635  
  
 Fabbri, M., 653  
 Feng, Y., 589  
 Filippov, Yu.P., 127  
 Fillunger, H., 697  
 Freund, M.M., 517  
 Fuchino, S., 405  
 Fuchs, A., 675  
 Fukuda, K., 9, 19  
 Furuse, M., 405  
  
 Gan, Z., 133  
 Gaviot, E., 527  
 Godeke, A., 469  
 Goldacker, W., 735  
 Gong, M.Q., 795  
 Gottardi, E., 551  
 Gschneidner Jr., K.A., 463  
 Guo-Lin, J., 577  
 Gusev, V., 527  
  
 Ha, D.W., 377  
 Ha, H.S., 377  
 Haga, T., 89  
 Hahn, S.Y., 351  
 Haid, B.J., 229, 617  
 Hampshire, D.P., 109, 299  
 Han, S.C., 357  
 Han, Y.H., 357  
 Hanzelka, P., 39  
 Hartnett, J.G., 45  
 Hasegawa, K., 191  
 Hasegawa, Y., 495  
 Heller, R., 735  
 Herai, T., 371  
 Higuchi, N., 405  
 Hirao, Y., 203  
 Hofmann, A., 735  
 Hong, C., 443  
 Hong, Y.J., 419  
 Hong, Y.-J., 427  
 Hornung, F., 735  
 Huang, Y.H., 223  
 Humer, K., 265, 697  
 Hwang, S.D., 357  
  
 Ikeuchi, M., 199, 203  
 Ilyin, Yu., 469  
 Imai, Y., 191  
 Ishizawa, T., 203  
 Ito, T., 183  
 Ivanov, E.N., 45  
 Iwasa, Y., 229, 617  
  
 Izumi, A., 175  
 Izumi, T., 393  
  
 Jang, H.M., 377  
 Jeong, E.S., 485  
 Jeong, J.-M., 411  
 Jeong, N.H., 357  
 Jeong, S., 79, 485, 501  
 Jhabvala, M., 517  
 Jiang, J.P., 223  
 Jiang, N., 223  
 Jiang, Y., 133  
 Jiang, Y.L., 223  
 Jin, T., 223  
 Jo, Y.-S., 1  
 Jones, W.C., 113  
 Joo, J., 387  
 Joung, J.-M., 415  
 Ju, Y.L., 533  
 Jung, J.-H., 501  
 Jüngst, K.P., 735  
  
 Kang, J., 387  
 Keating, B.G., 113  
 Keilin, V.E., 295  
 Keys, S.A., 109  
 Kikuchi, A., 345  
 Kim, C.-O., 411  
 Kim, D.-L., 399  
 Kim, D.-S., 387  
 Kim, H.B., 419  
 Kim, H.-B., 427  
 Kim, H.J., 351  
 Kim, J.H., 419  
 Kim, K.-S., 399  
 Kim, S.-H., 335, 399, 411, 415  
 Kim, S.W., 351  
 Kim, Y.-S., 411, 415  
 Kitagawa, K., 203  
 Kitagawa, S., 89  
 Kitajima, T., 183  
 Knoopers, H.G., 469  
 Ko, R.-K., 1  
 Kobayashi, H., 433, 509  
 Koderia, I., 175  
 Koh, D.Y., 419  
 Koh, D.-Y., 427  
 Koizumi, N., 675  
 Kovalev, I.A., 295  
 Kozlenkova, N., 279  
 Krempasky, L., 557



- Krivykh, A.V., 295  
 Kumagai, S., 451  
 Kurihara, M., 371  
 Kuriyama, T., 653  
 Kwon, M., 399  
 Kwon, Y.K., 351, 377  
 Kwon, Y.-K., 1, 229, 617  
  
 Lange, A.E., 113  
 Lee, G.-S., 399  
 Lee, H., 229, 617  
 Lee, J.-H., 387  
 Lee, J.S., 357  
 Lee, K.B., 419  
 Lee, K.-S., 427  
 Lehmann, W., 735  
 Lie, X., 577  
 Lierl, H., 719  
 Lin, P., 443  
 Linder, M., 97  
 Lotton, P., 527  
 Lu, G.Q., 287  
 Luo, E.C., 795  
  
 Ma, Y., 383  
 Machida, A., 199  
 Mack, A., 735  
 Maeda, S., 175  
 Maix, R.K., 697  
 Mao, Y., 443  
 Mason, P.V., 113  
 Matsubara, Y., 433, 509  
 Matsui, K., 675  
 Mitchell, N., 311  
 Miyaike, K., 183  
 Miyake, K., 495  
 Monroy, C., 517  
 Motojima, O., 89  
 Motokawa, M., 383  
 Murakami, M., 645  
 Musilová, V., 39  
  
 Nagai, H., 645  
 Nageswara Rao, B., 661  
 Nah, W., 387  
 Nakamura, K., 495  
 Nakatsuka, T., 345  
 Narita, F., 451  
 Negrini, F., 653  
 Neumann, H., 735  
 Ng, K.C., 141, 273, 779  
 Nicolsky, R., 589  
 Nijhuis, A., 469  
 Nika, P., 593, 605  
  
 Nikolayev, V.S., 253  
 Nishijima, K., 157  
 Nishizawa, C., 363  
 Nitta, T., 151  
 Niwa, H., 89  
 Noh, Y.-M., 399  
 Noto, K., 335  
 Nunoya, Y., 675  
 Nyilas, A., 735  
  
 Obst, B., 735  
 Oh, S.-S., 229, 617  
 Oh, S.S., 377  
 Ohtani, Y., 653  
 Oishi, I., 157, 169  
 Okamura, M., 653  
 Okamura, T., 653  
 Okumura, H., 495  
 Okuno, K., 675  
 Olivieri, E., 551  
 Onishi, T., 363  
 Ozawa, Y., 345  
  
 Pantsyrnyi, V., 279  
 Park, C., 377  
 Park, H.C., 485  
 Park, I.-H., 387  
 Park, S.J., 419  
 Park, S.-J., 427  
 Pasca, E., 551  
 Pecharsky, A.O., 463  
 Pecharsky, V.K., 463  
 Penelet, G., 527  
 Perelshtein, G.N., 635  
 Petersen, B., 719  
 Philhour, B.J., 113  
  
 Qiu, L.M., 327  
  
 Rabbers, J.J., 771  
 Risegari, L., 551  
 Rogalla, H., 97  
 Romanovskii, V.R., 29  
 Ryu, K.-S., 1, 229, 617  
 Ryu, K.S., 351, 377  
  
 Saji, N., 203  
 Sankarnarayanamy, K., 661  
 Sasaki, K., 363  
 Sato, K., 495  
 Satoh, T., 89  
 Satow, T., 89  
 Schmidt, C., 557  
 Schneider, Th., 735  
  
 Seino, H., 371  
 Sellmann, D., 719  
 Seong, K.C., 351  
 Shabratov, V.G., 127  
 Shi, J.L., 223  
 Shikov, A., 279  
 Shikov, A.K., 295  
 Shimohata, K., 175  
 Shindo, Y., 451  
 Shiobara, R., 169  
 Shiohara, Y., 393  
 Shiotsu, M., 9, 19  
 Sirbi, G., 113  
 Smith, M., 719  
 Smolyak, B.M., 635  
 Sohn, M.-H., 1  
 Song, K.J., 377  
 Suganuma, Y., 509  
 Sung, T.H., 357  
 Suzuki, E., 371  
  
 Takahashi, M., 169  
 Takahashi, Y., 675  
 Takayasu, M., 79  
 Takeda, T., 451  
 Tanahashi, S., 89  
 Tang, K., 223  
 Tang, X.D., 589  
 Tatsumoto, H., 9, 19  
 Taylor, D.M.J., 109  
 ten Haken, B., 469, 771  
 ten Kate, H.H.J., 469, 771  
 ter Brake, H.J.M., 97, 705  
 Thummes, G., 327  
 Tijani, M.E.H., 49, 59  
 Tobar, M.E., 45  
 Tokunaga, Y., 393  
 Tominaga, A., 509  
 Trevisani, L., 653  
 Tsuji, H., 675  
 Tsukamoto, O., 337  
  
 Ueda, K., 345  
 Ueta, Y., 645  
 Uhlig, K., 67, 73, 569  
 Ulbricht, A., 735  
 Usak, P., 543  
  
 van der Meer, O., 771  
 Van Sciver, S.W., 547, 719, 787  
 Vecsey, G., 675

Ventura, G., 551  
Vorobieva, A., 279

Wang, L., 533  
Watanabe, K., 383  
Weber, H.W., 265, 697  
Weisend II, J.G., 719  
Wiegerinck, G.F.M., 705  
Wolff, S., 719  
Wu, J.F., 795  
Wühl, H., 735  
Wysokinski, T.W., 463,  
691

Xiang, Y., 719  
Xu, X., 691  
Xuan, X.C., 141, 273, 779

Yamada, S., 89  
Yamaguchi, K., 169  
Yamaguchi, S., 495  
Yanagi, H., 199, 203  
Yanaka, K., 645  
Yang, H.S., 645  
Yang, W.M., 589  
Yap, C., 141, 273, 779  
Yasaka, Y., 169  
Yi-nong, W., 577

Yoshida, H., 509  
Yoshinaga, S., 203  
Yu, B.K., 419  
Yu, I.K., 351  
Yu, L., 443  
Yu, Z.M., 589

Zeegers, J.C.H., 49, 59  
Zhang, C.P., 589  
Zhang, P.X., 589  
Zhang, Q., 443  
Zhou, L., 589  
Zhou, Y., 795

## Keywords

- 1st sound, 509  
 AC losses, 175, 345, 363  
 Ac-losses, 557  
 Accelerator, 147  
 Acoustic streaming, 527  
 Ag-clad Hastelloy substrates, 383  
 Air gap armature winding, 169  
 Aluminium, 661
- Bi-2223, 377  
 Brayton cycle, 133  
 Brayton cycle (E), 705  
 Breakdown characteristics, 411  
 BSCCO/Ag tapes, 771  
 BSCCO tape, 387  
 Bubble, 411  
 Bubbling, 377  
 Buffer layer alignment, 393  
 Bulk superconductor, 589
- Cable-in-conduit, 675  
 Cable-in-conduit conductor, 79  
 Carnot cycle, 133  
 Charging pressure, 419  
 Coated conductor, 393  
 Cold compressor, 203  
 Composite, 29  
 Composites, 451  
 Composition, 279  
 Conduction, 399  
 Conduction cool, 363  
 Cooler, 295  
 Cooling capacity, 419  
 Cooling system, 345  
 Counter flow cooling, 405  
 Counter flow heat exchanger, 795  
 Critical current, 675  
 Critical current density, 299  
 Critical field, 299  
 Critical temperature, 279, 299  
 Cryocooler, 123, 209, 363  
 Cryogenic optimisation, 39  
 Cryogenic systems, 495  
 Cryopanel, 399  
 Cryopump, 39  
 Cryostat, 147, 351  
 Cryostats, 547  
 Current control, 89  
 Current decay, 377  
 Current distribution, 469
- Current lead, 141, 377, 495  
 Current leads, 779  
 Current-voltage characteristic, 29  
 Current-voltage curves, 543  
 Cycle-averaged pressure, 287  
 Cylindrical vessels, 661
- DC flow, 433  
 Dc power supply, 89  
 Delamination, 697  
 Delamination process, 265  
 Dilution refrigerator, 73, 569  
 Displacer, 433
- Elastic stress intensity factor, 661  
 Electric power application, 157  
 Electrical analogy, 605  
 Energy storage, 357  
 Energy transport, 509  
 Erbium, 463  
 Expander, 433
- Failure assessment diagram, 661  
 Failure pressure, 661  
 Fault current limiters, 363  
 Feature, 151  
 Fiber composites, 697  
 Fixed-point device, 443  
 Flow instabilities, 405  
 Flux creep, 29  
 Flux creep (C), 635  
 Flux pinning, 299  
 Flywheel, 357  
 Fractional temperature fluctuations, 45  
 Frequency matching, 223
- Gifford-McMahon, 67, 113  
 Gifford-McMahon (E), 705  
 GM cooler, 569  
 GM-cryocooler, 463  
 GM cryocooler, 653, 691  
 GM/PT hybrid refrigerator, 533  
 Grain size, 589  
 Gravitational-wave detectors, 245
- $^3\text{He}$  Systems, 113  
 He I, 127  
 He II, 127  
 He II-channel, 509  
 He II systems, pumps (E), 735  
 Heat-exchange gas, 295  
 Heat flows, 39  
 Heat leak, 141, 779  
 Heat reduction, 495  
 Heat transfer, 9, 19, 543, 787  
 Helium gas, 399  
 Helium refrigeration system, 199, 203  
 High  $T_c$  superconducting cable, 345  
 High  $T_c$  superconductors, 363, 411, 557, 787  
 High critical current density, 393  
 High magnetic field, 393  
 High performance HTS magnet, 387  
 High-temperature superconductors, 383  
 History of development, 151  
 HTS current lead, 351  
 HTS magnet, 229, 387, 617  
 Hybrid, 357
- ICF, 253  
 IFE target, 253  
 Induced loop current, 79  
 Infrared detectors, 113  
 Initial cooling, 405  
 Instabilities, 543  
 Instrumentation, 127  
 Insulation, 265  
 ITER, 265, 675, 697  
 ITER model coils, 469
- J-T neon refrigeration cycle, 501  
 Joule-Thomson Coolers, 97, 113  
 Joule-Thomson coolers (E), 705
- Kapton, 265
- $\lambda$ -phase transition, 645  
 Lambda transition, 443  
 Levitation force, 589  
 LHD, 89  
 Linear compressor, 427



- Liquid helium, 147
- Liquid helium (B), 327
- Liquid helium temperature, 533
- Liquid nitrogen temperature, 393
- LN<sub>2</sub>, 411
- Load map, 691
- Load tests, 169
- Local heat disturbance, 363
- Low temperature thermometry, 443
  
- Magnetic bearing, 357
- Magnetic coupling, 89
- Magnetic levitation, 253
- Magnetic levitation (F), 635
- Magnetic properties and materials, 463
- Magnetic regenerator material, 653
- Magnetisation loss, 771
- Magneto-resistance, 127
- Mass flux, 485
- Maximum temperature difference, 273
- Mean time between failure, 199
- Mechanical properties, 245, 265, 299, 451, 697
- Melt growth, 589
- Metals, 245
- Miniature device, 593
- Miniature pulse tube refrigerator, 605
- Models, 593
- Modified Roebuck compression device, 501
- Monolithic, 691
- Multicomponent non-azeotropic mixtures, 795
  
- National project, 337
- Nb<sub>3</sub>Al, 675
- Nb<sub>3</sub>Sn cable-in-conduit conductors, 469
- Niobium-tin, 109
- Numerical codes, 469
- Numerical simulation, 577
- Numerical study, 533
- n*-value, 469
  
- Oil free, 203
- Operating frequency, 419, 427
  
- Optical techniques, 547
- Optimization and design, 605
- Oscillating flow, 287
- Overview, 337
- Oxford split-Stirling cryocooler, 577
  
- Pancake coil, 415
- Peltier, 779
- Peltier effect, 495
- Performance, 59
- Persistent-mode, 229
- Persistent mode, 377, 617
- Phase transitions, 9, 19
- Pinch point, 795
- Polar characteristic, 273
- Powder-in-tube, 377
- Power application, 735
- Power applications, 191, 787
- Power system stability, 183
- Practical application, 157
- Pulse tube, 123, 133, 209
- Pulse tube (E), 327, 705
- Pulse tube refrigeration, 223
- Pulse-tube refrigerator, 73
- Pulse tube refrigerator, 287, 433, 593
- Pulse tube refrigerators, 485
  
- Quench, 175, 411
- Quick-response excitation, 183
  
- R&D priority, 337
- Radiation, 399, 779
- Ramp-rate limitation, 79
- REBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> (RE123) superconductor, 393
- Reduction of radial magnetic field, 387
- Refrigeration, 49, 59, 577
- Refrigeration cycle, 133
- Regenerator, 123, 463, 653, 691
- Regenerator efficiency, 605
- Reliability, 199
- RF applications, 719
- Roebuck compression process, 501
- Roebuck refrigerator, 501
- Rotating electric machinery, 191
- Rotating field, 771
  
- Scaling, 109
- Shock compression, 645
- Simulation, 399
- Slow response type excitation, 175
- SMES, 351
- Solid nitrogen, 229, 617
- Sorption coolers, 97, 113
- Space cryogenics, 97
- Spacer insulator, 415
- State of art, 151
- Steels, 661
- Stirling (E), 705
- Stirling cryocooler, 427
- Strain, 109, 299
- Structural materials, superconductors (A), 735
- Structural supports, 451
- Superconducting coil, 543
- Superconducting field winding, 169
- Superconducting field windings, 175
- Superconducting generator, 151, 157, 169, 183
- Superconducting generators, 175, 199
- Superconducting joint, 377
- Superconducting machine, 501
- Superconducting magnet, 295
- Superconducting magnets, 127, 451
- Superconducting magnets (F), 735
- Superconducting power applications, 337
- Superconducting power cables, 405
- Superconductive temperature sensor, 645
- Superconductivity, 169
- Superconductor, 29
- Superconductors, 279, 299, 357, 469
- Superconductors (A), 635
- Superfluid helium, 9, 19, 645
- Superfluid helium (He II), 547, 719
- Superfluid shock tube facility, 645
- Surface cracks, 661
- Surface flashover, 415

- Tapered pulse tubes, 485  
Temperature, 485  
Temperature distribution, 405, 795  
Temperature sensors, 127  
Temperature-entropy diagram, 141, 779  
Textured metal substrate, 393  
Theoretical results, 593  
Thermal shield, 399  
Thermal shunt, 67  
Thermoacoustic, 49, 59  
Thermoacoustic engine, 223  
Thermoacoustic instability, 527  
Thermoacoustic oscillation, 509  
Thermoacoustic prime-mover, 527  
Thermodynamic analysis, 123, 209  
Thermodynamics, 133, 787  
Thermoelectric cooler, 273  
Thermoelectric effect, 141  
Through-wall cracks, 661  
Time constant measurement, 557  
Titanium, 661  
Toroidal field coil, 675  
Transport current penetration, 29  
Two stage, 273  
Two-dimensional model, 485  
Two-phase flow, 719  
Unsteady second-order, 485  
V-M cryocooler, 433  
Valve timing, 327  
Vibrational heat leak, 569  
Voltage-current characteristics, 469  
YBCO, 383, 589

